

signia

Life sounds brilliant.

REPLICATING NATURE.

Product Portfolio Fall 2017



signia-pro.com

Hearing
Systems

SIEMENS

Signia.

Taking the future of a sound legacy to the next level.


We invent the future of better hearing. Beginning with Siemens, this has been our consistent mission for 140 years and counting – the greatest legacy in the industry. As hearing aid pioneers, we have introduced countless world’s firsts and now we are continuing this success story with our game-changing new platform Signia Nx.

Hearing solutions for everyone.

With Signia hearing aids, you can offer your customers a wide selection from many different models and performance levels for every requirement and all degrees of hearing loss. To facilitate orientation and help in the selection of the right hearing solution, our hearing aids are placed in three categories according to their construction models. This lets you find out quickly which model best suits a customer’s wearing preferences.

Contents

Hearing solutions for everyone	2	Orion 2	26
Hearing aids overview	4	Sirion 2	27
Signia Nx feature overview	5	Intuis 2	28
primax feature overview	6	Prompt	29
binax feature overview	7	Run	30
Essential segment feature overview	8	Fun	31
Lotus segment feature overview	9	Fast	32
Pure 312 Nx	10	SecureEar	33
Pure 13 Nx	11	Apps feature overview	34
Motion 13 Nx	12	App overview	35
Ace primax	13	Apps, accessories and hearing aid compatibility	36
Pure 13 BT primax	14	Accessory overview	37
Pure primax	15	Color overview	38
Cellion primax	16	Hearing care professional support	40
Inductive charger	17	Overview RICs	42
Carat primax	18	Overview BTEs	44
Motion primax	19	Overview Click ITEs/ITEs	50
Silk primax	20		
Insio primax	21		
Motion binax	22		
Insio binax	23		
Intuis 3 BTEs	24		
Intuis 3 Click ITEs and ITEs	25		



The degrees of hearing loss indicated above serve as a rough guide. For precise information, please refer to the individual product pages.

Hearing aids overview.

We offer a broad range of hearing aids in many different models and performance levels to help hearing care professionals meet their clients' needs, preferences and demands. Take advantage of this diversity to enhance your customers' satisfaction.

Models	Performance levels	RIC	BTE		ITE				Fitting
			LifeTube/ ThinTube	Earhook	IIC	CIC	ITC	ITE	
Pure 312 Nx <small>New!</small>	7Nx 5Nx 3Nx	●						8	
Pure 13 Nx <small>New!</small>	7Nx 5Nx 3Nx	●						8	
Motion 13 Nx <small>New!</small>	7Nx 5Nx 3Nx		●	●				8	
Ace primax	7px 5px 3px 2px 1px	●						8	
Pure 13 BT primax	7px 5px 3px	●						8	
Pure primax	7px 5px 3px 2px 1px	●						8	
Cellion primax	7px 5px 3px 2px	●						8	
Carat primax	7px 5px 3px	●						8	
Motion primax	7px 5px 3px 2px 1px		●	●				8	
Silk primax	7px 5px 3px 2px 1px					●*		8	
Insio primax	7px 5px 3px 2px 1px				●	●	●	8	
Motion binax	7bx 5bx 3bx		●	●				8	
Insio binax	7bx 5bx 3bx				●	●	●	8	
Intuis 3			●	●	●	●	●	8	
Orion 2		●	●	●	●	●	●	8	
Sirion 2			●	●	●	●	●	8	
Intuis 2			●	●	●	●	●	8	
Prompt			●	●	●	●	●	8	
Run				●		●*	●*	MobileFitting App	
Fun				●				Manual Fit	
Fast				●				Manual Fit	

* Only available as Click ITE.

Signia Nx

Signia Nx feature overview.

Our game-changing new platform Signia Nx delivers the most natural own voice and the best speech understanding in noise, while combining the most advanced connectivity systems.

Features	Information	Performance levels		
		7Nx	5Nx	3Nx
Audiology				
OVP™ (Own Voice Processing)	Own Voice Processing (OVP™) utilizes real-time recognition of the wearer's voice to deliver a natural own voice impression.	●●●●●	●●●●●	●●●●●
3D Classifier	Unlike conventional classification systems which rely on acoustic data, 3D Classifier analyzes multi-dimensional information from the wearer's environment and communication behavior. Information on the wearer's voice activity, motion state, and acoustic data are used to tailor the hearing aid's response to the wearer's needs.	●●●●●	●●●●●	●●●
Sound Clarity	Sound Clarity provides lifelike sound which covers the full spectrum of wearing situations. Exceptional clarity is achieved with features such as: HD Spatial, extended dynamic range, extended bandwidth, EchoShield, HD Music, eWindScreen™, speech and noise management and feedback cancellation.	●●●●●	●●●●●	●●●
Speech Quality	Speech Quality delivers improved understanding of other people's voices in noise by using an exclusive technology called Ultra HD e2e. Features which utilize Ultra HD e2e include narrow directionality, Spatial SpeechFocus™ and TwinPhone.	●●●●●	●●●●●	●●●
Connectivity				
Direct Streaming	Signia Nx hearing aids can be connected directly to Apple devices for phone calls and audio streaming - without additional accessories. With the StreamLine Mic accessory, direct streaming is possible also from Android devices. With the StreamLine TV accessory, high-quality stereo sound can be streamed directly to Nx hearing aids.	●●●●●	●●●●●	●●●●●
You Adjust	Technically inclined wearers often appreciate having extra control over their hearing aids. Signia Nx hearing aids offer these wearers a comprehensive range of adjustment options via the myControl App.	●●●●●	●●●●●	●●●●●
Remote hearing care				
TeleCare	TeleCare provides a structured communication approach for hearing care professionals and their clients, which is especially important during the initial stages of a fitting. In addition, TeleCare provides full live remote tuning to assist with rapid and effective troubleshooting.	●●●●●	●●●●●	●●●●●

●●●●● = highest feature performance

primax feature overview.

Redefining the ease of listening, the outstanding primax™ star platform offers effortless hearing in every situation throughout the day.*

Features	Information	Performance levels				
		7px	5px	3px	2px	1px
Audiology						
Signal processing and Gain/MPO	Channels/Handles in Connexx™	48/20	32/16	24/12	16/8	16/8
Hearing programs	Maximum available	6	6	6	4	4
SpeechMaster		●	●	●	●	●
HD Music	Number of preset programs	3	1	1	-	-
TwinPhone ^{A,E,F}	Req. bilateral fitting & e2e wireless™ 3.0	●	●	●	-	-
EchoShield		●	-	-	-	-
Wireless CROS/BiCROS ^{A,E,F}	Req. bilateral fitting & e2e wireless 3.0	●	●	●	-	-
Directionality	Resolution in channels	48	32	24	16	16
Binaural OneMic directionality ^B	Req. bilateral fitting & e2e wireless 3.0	●●●●●	-	-	-	-
Narrow directionality ^{A,C}	Req. bilateral fitting & e2e wireless 3.0	●●●●●	●●●●●	●●●	-	-
Directional microphones ^C		●●●●●	●●●●●	●●●	●●	●
Spatial SpeechFocus ^{A,C}	Req. bilateral fitting & e2e wireless 3.0	●●●●●	-	-	-	-
SpeechFocus ^C		●●●●●	●●●●●	-	-	-
TruEar™	Req. BTE or RIC hearing aids	●●●●●	●●●●●	●●●	-	-
Frequency compression		●	●	●	●	●
Extended bandwidth	Up to 12 kHz	●	-	-	-	-
Feedback cancellation		●	●	●	●	●
eWindScreen binaural ^{A,C,D}	Req. bilateral fitting & e2e wireless 3.0	●	●	-	-	-
eWindScreen	Adjustment steps	3	3	1	1	-
Noise reduction	Resolution in channels/Combined adjustment steps	48/5	32/5	24/3	16/3	16/1
Speech and noise management	Individual adjustment steps	7	5	3	3	1
SoundSmoothing™	Individual adjustment steps	3	3	1	1	-
Directional speech enhancement ^C	Individual adjustment steps	3	1	-	-	-
Adaptive streaming volume ^A	Streaming only, req. easyTek & e2e wireless 3.0	●	-	-	-	-
SoundBrilliance™ ^A	Streaming only, req. easyTek & e2e wireless 3.0	●	●	-	-	-
Sound equalizer	Number of classes	6	3	-	-	-
User controls, remote controls, streaming						
touchControl App™ ^F	iOS and Android devices only	●	●	●	●	●
easyTek™/easyPocket™ ^A	Req. e2e wireless 3.0	●	●	●	●	●
Spatial Configurator ^{A,C}	Req. bilateral fitting & e2e wireless 3.0	●	●	-	-	-
Span	Req. easyTek & easyTek App™, touchControl App or rocker switch	●	●	-	-	-
Direction	Req. easyTek & easyTek App	●	●	-	-	-
SoundBalance™		●	●	●	●	●
Fitting						
InSituGram™		●	●	●	●	●
Learning/Data logging	Number of classes	6/6	3/6	1/6	-/6	-/6
Acclimatization manager		●	●	●	●	●
Tinnitus						
Tinnitus therapy						
Static therapy signal (5 presets)	Handles in Connexx	20	16	12	4 ^G	-
Ocean wave therapy signal (4 presets) ^F		●	●	●	-	-
Notch therapy		●	●	●	-	-

A) Not for Ace primax. B) Only for hearing aids with one microphone each. C) Only for hearing aids with two microphones each. D) Not available in the universal program on 5px. E) Not for Motion S primax. F) Not for Pure 13 BT primax. G) No presets.

●●●●● = highest feature performance

* See legal note on final page in this document.

binax feature overview.

Based on the three key features binaxFocus, binaxSound and binaxGuide, binax™ is the world's first technology that outperforms normal hearing** by delivering the best binaural listening experience ever.

Features	Information	Performance levels		
		7bx	5bx	3bx
General				
Signal processing and Gain/MPO	Channels/Handles in Connexx	48/20	32/16	24/12
Hearing programs	Maximum available	6	6	6
touchControl App	iOS and Android devices only	●	●	●
binaxFocus				
Directionality	Resolution in channels	48	32	24
Binaural OneMic directionality ^A	Req. bilateral fitting & e2e wireless 3.0	●●●●●	-	-
Narrow directionality ^B	Req. bilateral fitting & e2e wireless 3.0	●●●●●	●●●●●	●●●
Directional microphones ^B		●●●●●	●●●●●	●●●
Spatial SpeechFocus ^B	Req. bilateral fitting & e2e wireless 3.0	●●●●●	-	-
SpeechFocus ^B		●●●●●	●●●●●	-
TruEar	Req. BTE or RIC hearing aids	●●●●●	●●●●●	●●●
Frequency compression		●	●	●
binaxSound				
eWindScreen binaural ^B	Req. bilateral fitting & e2e wireless 3.0	●	-	-
eWindScreen	Adjustment steps	3	3	1
Extended bandwidth		●	-	-
Adaptive streaming volume	Streaming only, req. easyTek & e2e wireless 3.0	●	-	-
SoundBrilliance	Streaming only, req. easyTek & e2e wireless 3.0	●	●	-
Feedback cancellation		●	●	●
Noise reduction	Resolution in channels/Combined adjustment steps	48/5	32/5	24/3
Directional speech enhancement ^B	Individual adjustment steps	3	1	-
SoundSmoothing	Individual adjustment steps	3	3	1
Speech and noise management	Individual adjustment steps	7	5	3
binaxGuide				
Sound equalizer	Number of classes	6	3	-
Data logging		●	●	●
Learning	Number of classes	6	3	1
Acclimatization manager		●	●	●
binax fit		●	●	●
Spatial Configurator ^B	Req. bilateral fitting & e2e wireless 3.0	●	●	-
Span	Req. easyTek & easyTek App, or rocker switch	●	●	-
Direction	Req. easyTek & easyTek App	●	●	-
Tinnitus therapy				
Static therapy signal (5 presets)	Handles in Connexx	20	16	12
Ocean wave therapy signal (4 presets)		●	●	●

A) Only for hearing aids with one microphone each. B) Only for hearing aids with two microphones each.

●●●●● = highest feature performance

** See legal note on final page in this document.

Essential segment feature overview.

Proven technology, outstanding comfort: In a broad range of hearing aid models, the Essential line offers a reliable hearing experience, a high level of wearing comfort and easy handling for almost every customer.

Features	Performance level			
	Essential			
	Intuis 3	Orion 2	Sirion 2	Intuis 2
Better hearing				
Frequency channels/Compression controls	12/6	16/8	16/8	12/6
Number of programs	4	4	4	4
Directional microphones ^A	Automatic ^B	Automatic adaptive	Automatic	Fixed ^B
Frequency compression	●	●	●	-
Sound comfort				
Feedback cancellation	●	●	●	●
Speech and noise management	on/off	3 steps	on/off	on/off
eWindScreen	-	●	-	-
e2e wireless 3.0	-	● ^C	-	-
e2e wireless 2.0	-	-	-	-
SoundSmoothing	-	on/off	-	-
Fitting/Individuality				
Data logging	●	●	●	●
Acclimatization manager	-	●	●	-
Tinnitus therapy	-	●	-	-
Audio streamer/Hearing aid control				
touchControl App	●	●	●	-
easyTek and easyTek App	-	● ^D	-	-
easyPocket	-	● ^D	-	-
ConnexxAir/ConnexxLink™	-	● ^D	-	-

A) Not for CIC. B) Only BTE. C) Left and right synchronization. D) Except RIC10.

Lotus segment feature overview.

Available in a wide range of fittings and suitable for all levels of hearing loss from mild to profound, the Lotus range offers a good hearing experience for every customer.

Features	Prompt						
	S	P	SP	Click ITEs	CIC	ITC	ITE
Matrix	LifeTube 45/124 dB Earhook 55/124 dB	70/134 dB	80/140 dB	Click CIC 50/113 dB Click ITC 55/116 dB	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹
Channels/Controls	8/4	8/4	8/4	8/4	8/4	8/4	8/4
Programs	4	4	4	Click CIC: 1 Click ITC: 4	4	4	4
Directional microphones	●	●	●	-	-	-	-
T-coil	●	●	●	-	-	○	○
Audio input	-	●	●	-	-	-	-
Noise reduction	situation based	situation based	situation based	situation based	situation based	situation based	situation based
SoundBalance™	●	●	●	●	●	●	●
Feedback cancellation	●	●	●	●	●	●	●

Features	Run			Fun		Fast
	P	SP	Click ITEs	P	SP	P
Matrix	70/132 dB	79/140 dB	Click CIC 50/113 dB Click ITC 55/116 dB	70/132 dB	79/140 dB	62/130 dB
Channels	8	8	8	6	6	4
Programs	6 preconfigured sound profiles	6 preconfigured sound profiles	6 preconfigured sound profiles	4 preconfigured sound profiles	4 preconfigured sound profiles	3 preconfigured sound profiles
Directional microphones	●	-	-	-	-	-
T-coil	-	-	-	-	-	-
Audio input	-	-	-	-	-	-
Noise reduction	situation based	situation based	situation based	always on	always on	always on
SoundBalance	●	●	●	-	-	-
Feedback cancellation	●	●	●	●	●	●

(1) Max. values

The smallest fully featured hearing aid with direct streaming.



Key features

- Most natural own voice and best speech understanding in noise thanks to Nx chip
- Small, discreet design
- Ultra HD e2e and Bluetooth connectivity



Compatible with myControl App.



TeleCare 3.0 ready.



With Notch Therapy for tinnitus treatment.



StreamLine TV
With StreamLine TV, the TV signal is directly streamed into Pure 312 Nx hearing aids.



StreamLine Mic
The new StreamLine Mic enables hands-free audio streaming (phone calls, music, etc.) from any device with Bluetooth connectivity.

Performance levels

7Nx

5Nx

3Nx

Pure 312 Nx.

Equipped with all benefits of the new Signia Nx platform, Pure™ 312 Nx keeps the wearer's own voice and remaining soundscape in perfect balance. This way, it offers the most natural own voice and best speech understanding in noise in a small, elegant housing. Despite its discreet design, Pure 312 Nx provides supreme connectivity via Bluetooth-based direct streaming and the myControl App*. Plus, TeleCare 3.0 lets your customers enjoy full live remote support and fast, smooth trials.

* For Android and iOS.

RIC

Model	miniReceiver 2.0 S	miniReceiver 2.0 M	miniReceiver 2.0 P	miniReceiver 2.0 HP
Receiver type				
Performance				
Matrix (2 ccm)	45/108 dB	60/119 dB	70/124 dB	75/130 dB
Battery				
Size	312	312	312	312
Power consumption	1.3 mA	1.5 mA	1.4 mA	1.4 mA

Superior connectivity combined with the longest streaming time.



Key features

- Most natural own voice and best speech understanding in noise thanks to Nx chip
- Longest wearing time while streaming
- Ultra HD e2e and Bluetooth connectivity



Compatible with myControl App.




TeleCare 3.0 ready.



With Notch Therapy for tinnitus treatment.



StreamLine TV
With StreamLine TV, the TV signal is directly streamed into Pure 13 Nx hearing aids.



StreamLine Mic
The new StreamLine Mic enables hands-free audio streaming (phone calls, music, etc.) from any device with Bluetooth connectivity.

Performance levels

7Nx

5Nx

3Nx

Pure 13 Nx.

By separately processing the wearer's own voice and integrating it smoothly into the soundscape, Signia's new Pure 13 Nx provides the most natural own voice and best speech understanding in noise. Thanks to Bluetooth, it comes with superior connectivity with direct streaming and the myControl App*. Users enjoy the longest wearing time while streaming. Full live remote support via TeleCare 3.0 quickly familiarizes them with their new Pure 13 Nx hearing aids.

* For Android and iOS.

RIC

Model	miniReceiver 2.0 S	miniReceiver 2.0 M	miniReceiver 2.0 P	miniReceiver 2.0 HP
Receiver type				
Performance				
Matrix (2 ccm)	45/108 dB	60/119 dB	70/124 dB	75/130 dB
Battery				
Size	13	13	13	13
Power consumption	1.3 mA	1.5 mA	1.4 mA	1.4 mA

Direct streaming with the most versatile fitting options.



Performance levels

- 7Nx
- 5Nx
- 3Nx

Motion 13 Nx.





Signia's new Motion™ 13 Nx harmonizes the wearer's voice and the surrounding sounds, providing the most natural own voice and best speech understanding in noise. Its sleek, new housing design offers individual handling and fitting options to meet almost all of your customers' wishes. Bluetooth-based direct streaming and the myControl App* let Motion 13 Nx offer enhanced connectivity, while you can provide your customers with full live remote support via TeleCare 3.0.

* For Android and iOS.

BTE	
Model	Motion 13 Nx
Performance	Earhook 63/134 dB ThinTube 56/126 dB
Battery	
Size	13
Power consumption	1.3 - 1.5 mA

Key features

- Most natural own voice and best speech understanding in noise thanks to Nx chip
- For individual handling and fitting requirements
- Ultra HD e2e and Bluetooth connectivity



StreamLine TV
With StreamLine TV, the TV signal is directly streamed into Motion 13 Nx hearing aids.



StreamLine Mic
The new StreamLine Mic enables hands-free audio streaming (phone calls, music, etc.) from any device with Bluetooth connectivity.

Discreet. Powerful. Effortless.



Performance levels


- 7px
- 5px
- 3px
- 2px
- 1px

Ace primax.

Signia's Ace primax™ skillfully combines the three main elements of discretion: tiny size, automatic functionality and remote control options. Equipped with sophisticated primax star technology, it offers outstanding speech understanding and is an ideal solution for those who wish for a high level of discretion in a hearing aid.

Key features

- Ultra-small design
- HD Binaural Hearing
- Clinically proven to reduce hearing effort*
- Battery size 10



* See legal note on final page of this document.


RIC				
Model				
Receiver type	miniReceiver 2.0 S	miniReceiver 2.0 M	miniReceiver 2.0 P	miniReceiver 2.0 HP
Performance				
Matrix (2 ccm)	45/108 dB	55/113 dB	60/118 dB	65/123 dB
Battery				
Size	10	10	10	10
Power consumption	0.9 mA	1.0 mA	0.9 mA	0.9 mA

Connectivity beyond streaming.



Key features

- Longest wearing time while streaming
- HD Binaural Hearing and Bluetooth connectivity
- Smartphone motion sensors usage for the best hearing experience while moving
- Clinically proven to reduce hearing effort*



Compatible with myControl App.



TeleCare 2.0 ready.



With Notch Therapy for tinnitus treatment.

* See legal note on final page of this document.



StreamLine TV
With StreamLine TV, the TV signal is directly streamed into Pure 13 BT primax hearing aids.

Performance levels

7px

5px

3px

Pure 13 BT primax.

The elegant Signia Pure 13 BT primax offers audiological benefit through Bluetooth. In combination with the myControl App*, it uses detailed, Bluetooth-based data that provides a clear overview of the wearer's acoustic environment. This way, Pure 13 BT primax enables the best possible hearing experience while wearers are on the move. Bluetooth-based direct streaming offers enhanced connectivity, while you can provide your customers advanced remote support via TeleCare 2.0.

* For Android and iOS.

RIC

Model	miniReceiver 2.0 S	miniReceiver 2.0 M	miniReceiver 2.0 P	miniReceiver 2.0 HP
Receiver type				
Performance				
Matrix (2 ccm)	45/108 dB	60/119dB	70/124 dB	75/130 dB
Battery				
Size	13	13	13	13
Power consumption	0.9 mA	1.0 mA	1.0 mA	1.1 mA

Fully featured. Binaural. Effortless.



Key features

- Rechargeable
- Wireless connectivity
- Battery size 312
- HD Binaural Hearing
- Clinically proven to reduce hearing effort*



Compatible with touchControl App.



TeleCare 2.0 ready.



Audio streaming via easyTek and easyTek App.



With Notch Therapy for tinnitus treatment.

* See legal note on final page of this document.



eCharger
The eCharger recharges and dehumidifies Pure primax hearing aids overnight, so your clients don't need to worry about handling batteries.

Performance levels

7px

5px

3px

2px

1px

Pure primax.

Equipped with the outstanding primax star platform, Signia's Pure primax™ provides outstanding sound comfort and sophisticated features. Its elegant, discreet housing design also allows for a quick and easy exchange of batteries. Pure primax is rechargeable via the eCharger*, remotely controllable via touchControl App and offers wearers full connectivity for audio streaming via easyTek.

* Available with performance levels 7px, 5px and 3px only.

RIC

Model	miniReceiver 2.0 S	miniReceiver 2.0 M	miniReceiver 2.0 P	miniReceiver 2.0 HP
Receiver type				
Performance				
Matrix (2 ccm)	45/108 dB	60/119 dB	70/124 dB	75/130 dB
Battery				
Size	312	312	312	312
Power consumption	0.9 mA	1.0 mA	1.0 mA	1.1 mA

Revolutionary battery-free hearing.



Key features

- Rechargeable lithium-ion power cell
- 24 hours continuous use with unlimited streaming
- Contactless, inductive charging
- HD Binaural Hearing
- Clinically proven to reduce hearing effort*



Compatible with touchControl App.



TeleCare 2.0 ready.



Audio streaming via easyTek and easyTek App.



With Notch Therapy for tinnitus treatment.

* See legal note on final page of this document.

Performance levels

7px

5px

3px

2px

Cellion primax.

Signia's groundbreaking Cellion primax™ offers revolutionary lithium-ion technology in a unique, contact-free OneShell design with no battery door. Once fully charged via the inductive charger, the high-capacity power cell makes Cellion primax the only hearing aids that last all day while offering 24-hour continuous streaming.

RIC

Model	miniReceiver 2.0 S	miniReceiver 2.0 M	miniReceiver 2.0 P	miniReceiver 2.0 HP
Receiver type				
Performance	45/108 dB	60/118 dB	70/124 dB	75/130 dB
Matrix (2 ccm)				
Battery				
Type	Lithium-ion power cell	Lithium-ion power cell	Lithium-ion power cell	Lithium-ion power cell
Power consumption	0.9 mA	1.0 mA	1.0 mA	1.1 mA



Simply smart: When placed in the wells, the Cellion primax hearing aids start charging automatically.

Smart power, completely hassle-free.

Inductive charger.

Because they are simply made for each other, the inductive charger is supplied as standard with all Cellion primax hearing aids. LED indicators clearly display the status of both hearing aid power cells. For better care and a longer service life, the Cellion primax hearing aids are dehumidified during the charging cycle.

The inductive charger is compatible with a wide range of flexible and inexpensive power packs that connect via the widely used micro USB standard used by mobile devices. Your Signia representative will be glad to recommend a list of compatible power packs.



Signia won the CES Innovation Awards 2017 Honoree award for the outstanding product design and engineering of Cellion primax and its inductive charger.

Carat primax

Power meets versatility.



Key features

- Rechargeable
- Battery size 13
- Wireless connectivity
- HD Binaural Hearing
- Clinically proven to reduce hearing effort*

Compatible with touchControl App.

TeleCare 2.0 ready.

Audio streaming via easyTek and easyTek App.

With Notch Therapy for tinnitus treatment.

DAI-ready Direct Audio Input

* See legal note on final page of this document.

Performance levels

7px

5px

3px

Carat primax.

Signia's Carat primax™ was designed to deliver optimum amplification for almost all levels of hearing loss. Its optional rechargeable battery packs longer lasting power, so wearers can enjoy highly convenient handling. Carat primax' remote control and wireless streaming options make these hearing aids a comfortable and discrete solution.

RIC

Model	miniReceiver 2.0 S	miniReceiver 2.0 M	miniReceiver 2.0 P	miniReceiver 2.0 HP
Receiver type				
Performance				
Matrix (2 ccm)	45/108 dB	60/119 dB	70/124 dB	75/130 dB
Battery				
Size	13	13	13	13
Power consumption	0.9 mA	1.1 mA	1.0 mA	1.1 mA

Motion primax

Sleek. Convenient. Effortless.



Key features

- Sleek and compact housing
- Easy handling
- HD Binaural Hearing
- Clinically proven to reduce hearing effort*
- Option for Motion SA, P and SP primax models: Direct audio input via audio shoe

Compatible with touchControl App.

TeleCare 2.0 ready.

Audio streaming via easyTek and easyTek App.

With Notch Therapy for tinnitus treatment.

DAI-ready Direct Audio Input

* See legal note on final page of this document.

Performance levels

7px

5px

3px

2px

1px

Motion primax.

Motion primax™ from Signia comes in a broad and versatile BTE range. From the small S model to the sleek but powerful P model, from the SA model that can be equipped with an audio shoe to the rechargeable SX to the super power SP model, Motion primax provides a solution for almost every ear and every hearing loss. For a maximum level of convenience, all models of the Motion family are remotely controllable and offer full connectivity for audio streaming.

BTE

Model	Motion S primax	Motion SX/SA primax	Motion P primax	Motion SP primax
Receiver type				
Performance				
Matrix (2 ccm)	LifeTube 45/124 dB Earhook 55/124 dB	ThinTube 53/126 dB Earhook 60/130 dB	ThinTube 65/129 dB Earhook 77/135 dB	Earhook 82/140 dB
Battery				
Size	312	13	13	675
Power consumption	0.8 mA	1.0 mA	1.1 - 1.3 mA	2.1 mA

Click.
Fit.
Go.



Key features

- Click Sleeves for a swift fit
- 3 sleeve sizes to fit every ear
- Invisible and discreet
- Binaural OneMic directionality
- Clinically proven to reduce hearing effort*



Compatible with touchControl App.



TeleCare 2.0 ready.




Audio streaming via easyTek and easyTek App



With Notch Therapy for tinnitus treatment.

* See legal note on final page of this document.



One click and you're done.
Click Sleeves simply click on to Silk primax hearing aids and sit securely in the ear.


Performance levels

- 7px
- 5px
- 3px
- 2px
- 1px

Silk primax.

Delivering the full convenience of Click CICs, the nearly invisible Signia Silk primax™ lets you provide the smoothest, fastest ITE fittings. Thanks to the flexible, silicone Click Sleeves, Silk primax Click models offer a precise fit, binaural OneMic directionality and full wireless connectivity. This makes them ideal for first-time wearers looking for a discreet on-the-spot solution without any fuss.

Click ITE

Model	Click CIC
	
Performance	
Matrix (2 ccm)	50/113 dB
Battery	
Size	10
Power consumption	1.1 mA

Ultra-discreet.
Custom fit.
Effortless.



Key features

- Binaural OneMic directionality
- Small size up to high power matrix
- Full wireless and remote control options for all models
- Power matrix in all models, from IICs to ITEs
- Clinically proven to reduce hearing effort*



Compatible with touchControl App.



TeleCare 2.0 ready.



Audio streaming via easyTek and easyTek App




With Notch Therapy for tinnitus treatment.

* See legal note on final page of this document.



CanalGrip®
The new CanalGrip® is a durable pattern for retention in difficult ear canals.



Concha Lock
The new Concha Lock provides a precise and stable retention. The transparent color supports high discretion.





Performance levels

- 7px
- 5px
- 3px
- 2px
- 1px

Insio primax.

Tailor-made for demanding wearers, Insio primax™ from Signia offers the ultimate in discretion and performance. Thanks to their binaural OneMic directionality function, even the small CIC models with a single microphone deliver superior directionality to the front. All models can be controlled remotely for a maximum of discretion.

ITE

Model	IIC	CIC	ITC	ITE
				
Performance				
Matrix (2 ccm)	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹
Battery				
Size	10	10	312/10	13/312
Power consumption	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹

(1) Max. values

Powerful, binaural hearing comfort.



Key features

- Rechargeable
- Fully featured
- Battery size 13
- Easy handling
- e2e wireless 3.0
- Better than normal hearing**



Compatible with touchControl App.



Audio streaming via easyTek and easyTek App

** See legal note on final page of this document.

Performance levels

7bx

5bx

3bx

Motion binax.

With the PX model, Signia's Motion binax™ offers true binaural capabilities and is a powerful, reliable partner that covers a broad range of hearing losses. Its user-friendly controls and intelligent interfaces make it easy to manage. Thanks to remote control options and wireless connectivity, wearers can enjoy a maximum of convenience.

BTE

Model	Motion PX binax
Performance	
Matrix (2 ccm)	S-LifeTube 65/127 dB Earhook 75/136 dB
Battery	
Size	13
Power consumption	1.1 - 1.3 mA

Leading in binaural directionality.



Key features

- Binaural directionality even in CICs
- Small construction due to proprietary components
- Power matrix in CICs and ITCs
- Remote control for all models
- e2e wireless 3.0
- Better than normal hearing**



Compatible with touchControl App.



Audio streaming via easyTek and easyTek App

** See legal note on final page of this document.

Performance levels

7bx

5bx

3bx

Insio binax.

Insio binax™ from Signia is a nearly invisible hearing solution even for profound hearing loss. The power line lets these small hearing aids provide the necessary gain and output while still keeping their small size, allowing for a higher fitting rate. Additionally, the CICs offer binaural OneMic directionality while all Insio binax models, even tiniest IICs, are remotely controllable.

ITE

Model	IIC	CIC	ITC	ITE
Performance				
Matrix (2 ccm)	55/118 dB ¹	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹
Battery				
Size	10	10	312/10	13/312
Power consumption	0.9 mA ¹	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹

(1) Max. values

Proven technology, outstanding comfort.



Key features

- For all levels of hearing loss
- Ergonomic design for a high level of wearing comfort
- Remotely controllable for a maximum of convenience and discretion



Compatible with touchControl App.



TeleCare 2.0 ready.



Direct Audio Input

Key features

- For mild to severe hearing loss
- 6 channel MPO for the most advanced fitting options and more individual adjustments
- Remotely controllable for a maximum of discretion and convenience



Compatible with touchControl App.



TeleCare 2.0 ready.



Essential

Intuis 3 BTEs.

All Signia's Intuis 3 BTE models offer proven technology with 6 channel MPO for the most advanced fitting options and for more individual adjustments. Suitable for all levels of hearing loss, the easy to handle Intuis 3 BTEs are equipped with automatic directional microphones for a precise hearing experience, offer remote control options, and are TeleCare ready for smoother, faster trials and higher customer satisfaction.

Essential

Intuis 3 Click ITEs and ITEs.

With Intuis 3 Click ITEs and tailor-made ITEs, you can offer your customers the full range of in-the-ear models: No matter if they wish for a solution that fits right away or prefer a customized model, Intuis 3 is the perfect match. Equipped with proven technology, all models offer a precise hearing experience, are remotely controllable for a maximum of discretion and TeleCare ready for successful trials.

BTE

Model	Intuis 3 S	Intuis 3 M	Intuis 3 P	Intuis 3 SP
Performance				
Matrix (2 ccm)	LifeTube 45/124 dB Earhook 55/124 dB	LifeTube 53/125 dB Earhook 60/130 dB	Earhook 70/134 dB	Earhook 80/140 dB
Battery				
Size	312	13	13	675
Power consumption	0.9 mA	1.0 mA	1.4 mA	2.4 mA

Click ITE/ITE


Model	Intuis 3 Click CIC, Click ITC	Intuis 3 CIC, ITC, ITE
Performance		
Matrix (2 ccm)	Click CIC 50/113 dB Click ITC 55/116 dB	CIC 65/124 dB ¹ ITC 65/124 dB ¹ ITE 65/124 dB ¹
Battery		
Size	Click CIC 10, Click ITC 312	CIC 10, ITC 312, ITE 13
Power consumption	1.1 mA	1.1 mA ¹

(1) Max. values


Individual, comfortable hearing.

Key features

- For all levels of hearing loss
- Remotely controllable for a maximum of convenience and discretion
- Combines good audiology and easy handling
- e2e wireless 3.0

 Compatible with touchControl App.

 TeleCare ready.

 Audio streaming via easyTek and easyTek App



Essential

The Orion 2 family.

Thanks to a high resolution, feedback cancellation and directionality, all RIC, BTE and ITE models of Signia's Orion™ 2 family provide good speech understanding and a comfortable listening experience. Plus, the entire family is remotely controllable for maximum convenience.

RIC

Model	Orion 2 RIC10	Orion 2 RIC312
Performance		
Matrix (2 ccm)	miniReceiver 2.0 S 45/108 dB miniReceiver 2.0 M 55/113 dB miniReceiver 2.0 P 60/118 dB miniReceiver 2.0 HP 65/123 dB	miniReceiver 2.0 S 45/108 dB miniReceiver 2.0 M 60/119 dB miniReceiver 2.0 P 70/124 dB miniReceiver 2.0 HP 75/130 dB
Battery		
Size	10	312
Power consumption	S 0.9, M 1.0, P 0.9, HP 0.9 mA	S 0.8, M/P 1.0, HP 1.1 mA

BTE

Model	Orion 2 S	Orion 2 M	Orion 2 P	Orion 2 CIC, ITC, ITE
Performance				
Matrix (2 ccm)	LifeTube 45/124 dB Earhook 55/124 dB	LifeTube 53/125 dB Earhook 60/130 dB	LifeTube 65/125 dB Earhook 75/136 dB	CIC 50/113 dB ¹ ITC 55/118 dB ¹ ITE 60/123 dB ¹
Battery				
Size	312	13	13	CIC 10, ITC 312/10, ITE 13/312
Power consumption	0.9 mA	1.0 mA	1.0 - 1.3 mA	CIC 0.9 mA ¹ , ITC/ITE 1.0 mA ¹

(1) Max. values

Sound hearing, smart control.

Key features

- For all levels of hearing loss
- Ergonomically shaped for a high level of wearing comfort
- Convenient and hassle-free manual handling

 Compatible with touchControl App.

 TeleCare ready.



Essential

The Sirion 2 family.

A dependable hearing solution: Signia's Sirion™ 2 offers proven audiological performance and hassle-free handling in a broad range of reliable BTEs and ITEs. Each model is equipped with feedback cancellation and noise reduction technology for a comfortable hearing experience.

BTE

Model	Sirion 2 S	Sirion 2 M	Sirion 2 P	Sirion 2 SP
Performance				
Matrix (2 ccm)	LifeTube 45/124 dB Earhook 55/124 dB	LifeTube 53/125 dB Earhook 60/130 dB	LifeTube 65/125 dB Earhook 75/136 dB	Earhook 80/140 dB
Battery				
Size	312	13	13	675
Power consumption	0.9 mA	1.0 mA	1.0 - 1.3 mA	2.4 mA

ITE

Model	CIC	ITC	ITE
Performance			
Matrix (2 ccm)	CIC 50/113 dB ¹	ITC 55/118 dB ¹	ITE 60/123 dB ¹
Battery			
Size	10	312/10	13/312
Power consumption	0.9 mA ¹	1.0 mA ¹	1.0 mA ¹

(1) Max. values

Fine-tuned for easy listening.

Key features

- A full range of BTE, Click ITE and ITE models
- Best frequency shaping in its class for an individualized hearing experience
- For all levels of hearing loss



Essential

The Intuis 2 family.

All Intuis 2 models come with 12-channel resolution to offer more frequency shaping than any other comparable hearing aid in this class. Signia's Intuis 2 is also equipped with a noise reduction function and a feedback cancellation system for a convenient listening experience.

BTE

Model	Intuis 2 S	Intuis 2 M	Intuis 2 P	Intuis 2 SP
Performance				
Matrix (2 ccm)	LifeTube 45/124 dB Earhook 55/124 dB	LifeTube 53/125 dB Earhook 60/130 dB	LifeTube 65/125 dB Earhook 75/136 dB	Earhook 80/140 dB
Battery				
Size	312	13	13	675
Power consumption	0.9 mA	1.0 mA	1.0 - 1.3 mA	2.4 mA

Click ITE/ITE

Model	Intuis 2 Click CIC, Click ITC	Intuis 2 CIC, ITC, ITE
Performance		
Matrix (2 ccm)	Click CIC 50/113 dB Click ITC 55/116 dB	CIC 50/113 dB ⁽¹⁾ ITC 55/118 dB ⁽¹⁾ ITE 60/123 dB ⁽¹⁾
Battery		
Size	Click CIC 10, Click ITC 312	CIC 10, ITC 312, ITE 13
Power consumption	1.1 mA	1.1 mA ⁽¹⁾

(1) Max. values

Make your customers the center of attention.

Key features

- A full range of BTE, Click ITE and ITE models
- For all levels of hearing loss
- Remotely controllable for a maximum of convenience and discretion



Lotus

The Prompt family.

Signia's Prompt family offers outstanding wearing comfort and ease of use for every form of hearing loss. All models offer remote control options via the touchControl App and the miniPocket and are convenient solution for almost all your customers.

BTE

Model	Prompt S	Prompt P	Prompt SP
Performance			
Matrix (2 ccm)	LifeTube 45/124 dB Earhook 55/124 dB	Earhook 70/134 dB	Earhook 80/140 dB
Battery			
Size	312	13	675
Power consumption	0.9 mA	1.4 mA	2.4 mA

Click ITE/ITE

Model	Prompt Click CIC, Click ITC	Prompt CIC, ITC, ITE
Performance		
Matrix (2 ccm)	Click CIC 50/113 dB Click ITC 55/116 dB	CIC 65/124 dB ⁽¹⁾ ITC 65/124 dB ⁽¹⁾ ITE 65/124 dB ⁽¹⁾
Battery		
Size	Click CIC 10, Click ITC 312	CIC 10, ITC 312/10, ITE 13/312
Power consumption	1.1 mA	1.1 mA ⁽¹⁾

(1) Max. values

Take hearing to a new level.

Key features

- Quick and easy fittings everywhere via the MobileFitting App
- For mild to profound hearing loss
- Ergonomic shape for a high level of wearing comfort



Compatible with touchControl App.



Compatible with MobileFitting App.



Lotus

Run.

Easy to fit in just a few minutes with the convenient MobileFitting App, Run from Signia is ideal for on-the-spot fittings. Incredibly comfortable thanks to its ergonomic shape, the convenient and easy-to-use Run delivers an outstanding hearing experience.

BTE

Model	Run P	Run SP
		
Performance		
Matrix (2 ccm)	Earhook 70/132 dB	Earhook 79/140 dB
Battery		
Size	13	675
Power consumption	1.3 mA	2.2 mA

Click ITE

Model	Run Click CIC	Run Click ITC
		
Performance		
Matrix (2 ccm)	50/113 dB	55/116 dB
Battery		
Size	10	312
Power consumption	1.1 mA	1.1 mA

Provide an outstanding hearing experience.

Key features

- A high level of amplification for severe to profound hearing loss
- Ergonomic shape for a high level of wearing comfort
- Simple fittings everywhere via the rocker switch



Lotus

Fun.

Equipped with Signia's proven hearing aid technology, Fun covers all essential customer requirements. It offers superb sound quality for severe to profound hearing loss, excellent wearing comfort and is simply fitted by pushing the handy rocker switch.

BTE

Model	Fun P	Fun SP
		
Performance		
Matrix (2 ccm)	Earhook 70/132 dB	Earhook 79/140 dB
Battery		
Size	13	675
Power consumption	1.2 mA	2.2 mA

Deliver a powerful listening experience.

Key features


- Simple fittings everywhere via the rocker switch
- For mild to severe hearing loss
- Easy handling



Lotus

Fast.

Fast BTE hearing aids offer a high level of performance and deliver just the right amount of amplification for customers with severe hearing loss. They are easily adjusted via the rocker switch for simplified fitting. Sleek and comfortable with a range of features, Signia's Fast ensures an outstanding hearing experience suitable for every customer.

BTE	
Model	Fast P
	
Performance	Earhook 62/130 dB
Matrix (2 ccm)	
Battery	
Size	13
Power consumption	1.1 mA


Sharpening your customers' senses.

SecureEar.

SecureEar™ is an active digital hearing protection that prevents the wearer from excessive noise and loud sounds. Customized for a perfect fit, it ideally combines hearing protection with the ability to communicate effectively in all environments. With SecureEar, the wearer can also receive cell phone or CB calls at any time thanks to the integrated T-coil.







SecureEar with T-coil: Protects hearing and also allows the user to communicate without any constraints.

ITE	
Model	SecureEar
	
Performance	85 dB
Matrix (2 ccm)	
Battery	
Size	312
Battery life	~ 230 h

Apps feature overview.

Remote support, audio streaming and remote control at the tip of your clients' fingers: Most Signia hearing aids are compatible with useful apps for Android and iOS smartphones. This overview shows you the features of each app in detail.

	Remote support	Audio streaming and remote control	Remote control	Audio streaming and remote control
	 myHearing App	 myControl App	 touchControl App	 easyTek App ^A
Availability	Apple App Store/ Google Play Store	Apple App Store/ Google Play Store	Apple App Store/ Google Play Store	Apple App Store/ Google Play Store
Use case	Signia TeleCare	Hearing aids with Bluetooth connectivity	All primax ^E , all binax, Orion 2, Sirion 2, Intuis 3, Prompt and Run hearing aids	easyTek required

Remote control features

	Bluetooth High frequency coded signal	Bluetooth High frequency coded signal	High frequency coded signal	Bluetooth High frequency coded signal
Transmission signal				
Volume adjustment	●	●	●	●
Independent volume adjustment (R/L)	-	● ^B	-	-
Program change	●	●	●	●
Mute	●	● ^I	●	● ^J
Remote Microphone	-	● ^K	-	-
SoundBalance adjustment	●	●	●	●
Adjustable system sounds	-	● ^C	-	-
Spatial Configurator adjustment	● ^D	● ^D	● ^D	● ^D
Automatic listening situations	-	● ^E	-	-
Power-on-Delay configuration	-	● ^E	-	-
Battery status read-out	-	●	● ^F	●
Low battery level	-	●	-	-
Voice activity tracking	-	● ^E	-	-
Sound exposure	● ^G	●	-	-
Wearing time	● ^G	●	-	-
User guide	●	-	-	-
Adaptive streaming volume	-	● ^E	-	-
Smartphone motion sensors usage	● ^G	●	-	-
Hearing aid airplane mode	-	●	-	-

Signia TeleCare features

Usage statistics	● ^G	-	-	-
Daily satisfaction rating	● ^G	-	-	-
Hearing lessons	●	-	-	-
CareChat	●	-	-	-
Private label option	● ^H	-	-	-

(A) Programmable via Connexx.
 (B) Configurable via Connexx.
 (C) Volume level adjustment not available with Pure 13 BT primax.
 (D) Available with performance levels 7 and 5, only.
 (E) Not available with Pure 13 BT primax.
 (F) Output via the number of signal tones in the hearing aid.
 (G) For Pure 312 Nx, Pure 13 Nx, Motion 13 Nx and Pure 13 BT primax only.
 (H) After activation via customer service.
 (I) Hearing aid microphones can be muted while streaming.
 (J) Hearing aid microphones can be muted while streaming via easyTek device.
 (K) Not available in the app version on Google Play Store.

App overview.

Remote support



Via the **myHearing App**, your customers can experience all benefits of TeleCare to familiarize themselves with their new hearing aids in as little time as possible. They can follow special listening exercises, consult the user guide and connect to you on the go.

Audio streaming and remote control



The **myControl App** lets wearers of Signia Nx hearing aids or Pure 13 BT primax track their communication time and hearing performance. It also allows for Bluetooth-based direct streaming and remote control, and sends information to the hearing aids to ensure the best possible hearing for every individual listening environment of the wearer.

Remote control



The **touchControl App** lets your clients discreetly and conveniently change their hearing programs, volume, bass and treble via their smartphones - without any extra hardware.

Audio streaming and remote control



With the **easyTek App**, hearing aid wearers can discreetly control the easyTek via their smartphones for program or volume adjustments and audio streaming.



All apps are compatible with Android and iOS. Their download on the Apple App Store or Google Play Store is free of charge.

Apps, accessories and hearing aid compatibility.

This overview shows you which apps and accessories work with our hearing aids. Depending on the solution your customers choose, they can even enhance their hearing experience and convenience with this well-matching portfolio.

Hearing aid	Apps				Streamers and transmitters				Remote controls		Charging station	CROS/ BiCROS ^A
	myHearing App	myControl App	touchControl App	easyTek App	StreamLine TV	StreamLine Mic	easyTek	TV Transmitter/ VoiceLink	miniPocket	easyPocket	eCharger	CROS Pure
Pure 312 Nx	•	•	-	-	•	•	-	-	•	-	-	-
Pure 13 Nx	•	•	-	-	•	•	-	-	•	-	-	-
Motion 13 Nx	•	•	-	-	•	•	-	-	•	-	-	-
Ace primax	•	-	•	-	-	-	-	-	•	-	-	-
Pure 13 BT primax	•	•	-	-	•	•	-	-	•	-	-	-
Pure primax	•	-	•	•	-	-	•	•	•	•	A	•
Cellion primax	•	-	•	•	-	-	•	•	•	•	B	•
Carat primax	•	-	•	•	-	-	•	•	•	•	•	•
Motion SP primax	•	-	•	•	-	-	•	•	•	•	-	•
Motion P primax	•	-	•	•	-	-	•	•	•	•	-	•
Motion SX primax	•	-	•	•	-	-	•	•	•	•	•	•
Motion SA primax	•	-	•	•	-	-	•	•	•	•	-	•
Motion S primax	•	-	•	•	-	-	•	•	•	•	-	-
Silk primax	•	-	•	•	-	-	•	•	•	•	-	•
Insio primax	•	-	•	•	-	-	•	•	•	•	-	•
Motion PX binax	•	-	•	•	-	-	•	•	•	•	•	-
Insio binax	•	-	•	•	-	-	•	•	•	•	-	-
Intuis 3	•	-	•	-	-	-	-	-	•	-	-	-
Orion 2	•	-	•	•	-	-	•	•	•	•	-	-
Sirion 2	•	-	•	-	-	-	-	-	•	-	-	-
Intuis 2	-	-	-	-	-	-	-	-	-	-	-	-
Prompt	-	-	•	-	-	-	-	-	•	-	-	-
Run	-	-	•	-	-	-	-	-	•	-	-	-

A) Not available with 2px/1px. B) Wireless inductive charger. C) Except RIC10.

Accessory overview.

Streamers



The TV sound can be fed directly into Signia Nx or Pure 13 BT primax hearing aids via the **StreamLine TV** transmitter. Wearers can even adjust the TV volume individually via the myControl App.



The new **StreamLine Mic** provides full hands-free audio streaming of phone calls and music with any Bluetooth smartphone. It also works as a remote microphone and is compatible with Signia Nx hearing aids.



The **easyTek** wirelessly connects hearing aids to different Bluetooth enabled devices so sound is streamed directly into the hearing aids. Plus, it also acts as remote control for program or volume adjustments and is controllable via the easyTek App.

Transmitters



The **TV Transmitter** connects TVs to the easyTek. This way, sound can be wirelessly streamed directly into the hearing aids.



The **VoiceLink™** companion microphone connects to easyTek and miniTek and effectively transmits speech when wearers are attending conferences or presentations.

Remote control



Small enough to carry on a keyring, the **miniPocket™** is the ideal solution for anyone who wants discreet, convenient hearing aid control without the need for a large remote control or smartphone.

Remote control



The sleek **easyPocket** with large buttons and an easy-to-read display even gives users with dexterity issues easy access to their hearing aids.

Charging station



The **eCharger** recharges and dehumidifies hearing aids overnight, so your clients don't need to worry about handling batteries.

CROS/BiCROS



For people with unaidable hearing loss on one side, **CROS Pure** receives sound on that side and transmits it to an hearing aid on the other side. Compatible with almost all primax hearing aids.

Color overview RICs and BTEs.

Products	Color									
	Beige	Granite	Grey	Brown	Black	Silver	Pearl White	Golden Blonde	Sandy Brown	Dark Champagne
	1	2	3	4	5	6	7	30	31	37
Pure 312 Nx	●	●	●		●	●	●	●	●	●
Pure 13 Nx	●	●	●		●	●	●	●	●	●
Motion 13 Nx	●	●	●		●	●	●	●	●	●
Ace primax	●	●	●		●	●	●	●	●	
Pure 13 BT primax	●	●	●		●	●	●	●	●	●
Pure primax	●	●	●		●	●	●	●	●	●
Cellion primax	●	●	●		●	●	●	●	●	●
Carat primax	●	●	●		●	●	●	●	●	●
Motion primax	●	4	●		●	5		6	6	6
Motion binax	●	●	●	●	●	●	●	●	●	●
Intuis 3	●		●	●	●	●				
Orion 2	●	9	●	9	●	●				
Sirion 2	●		●	●	●	●				
Intuis 2	●		●	●	●	●				
Prompt	●		●							
Run	●		●							
Fun	●		●							
Fast	●									

Color overview Click ITEs.

Standard colors Click ITEs

Description	Type	Silk	Intuis 3	Intuis 2	Prompt	Run
Blue / Mocha	left Click CIC	●				
Red / Mocha	right Click CIC	●				
Mocha / Beige	Click CIC		●	●	●	●
Tan / Beige	Click ITC		●	●	●	●

Further colors available on request.

Color overview ITEs.

Candy Pink	Galactic Blue	Dark Granite	Deep Brown	Deep Red	Spirit	Elegance
60	61	66	72	73	C5	C12
		●	●			
		●	●			
		●	●			
		●		2	2	
		●	●	3		
		●	●	●	●	
		●	●	●	●	
2,7	2,7	●	●	2,4,5	2,8	2,8
		●				
		●				
		●				
		●				
		●				
		●				
		●				
		●				
		●				
		●				
		●				
		●				
		●				
		●				
		●				



Color Flipper
Presenting RIC, BTE and ITE colors, and product-specific overview of available colors per product.

Item No. 03120-99C1-7600

- (2) Not available with 2px/1px
- (3) Not available with 2px
- (4) Not for Motion S primax
- (5) Not for Motion SP primax
- (6) Only for Motion SX, SA and P primax
- (7) Only for Motion SA and P primax
- (8) Only for Motion SX and SA primax
- (9) Only for Orion 2 RIC312

Color overview ITEs.

Standard colors for custom-made ITEs

Description	Type	Insio	Intuis 3	Orion 2	Sirion 2	Intuis 2	Prompt
Beige	ITC, ITE	●	●	●	●	●	●
Tan	ITC, ITE	●	●	●	●	●	●
Mocha	CIC, ITC, ITE	●	●	●	●	●	●
Brown	CIC, ITC, ITE	●	●	●	●	●	●
Dark Brown	IIC, ITC, ITE	●	●	●	●	●	●
Deep Red	IIC, ITC, ITE	●*					

Further colors available on request.

* Insio 7px/5px/3px only.



Meeting all your needs: The Signia hearing care professional support.

Everyday you try to meet and exceed your customers' hearing needs and wishes. In Signia you have a partner who fully supports you. Our broad range of hearing aid components, counseling and trial support as well as fitting tools enhances your workflow and provides you with all you need to find the best individual solution for your customers.

For detailed information, see our website signia-pro.com

Perfection is in the detail: Components for hearing aids.



From RIC miniReceivers™ to BTE earpieces and coupling options to Click Sleeves 2.0 for Click ITEs and RICs, we supply you with all necessary items so you can tailor the perfect hearing solution for your customers.

Hearing aid components

RICs: miniReceivers S, M, P, HP
Click Sleeves 2.0 XS, S, M, L

BTEs: Click Domes™
Click Molds™
ThinTubes
LifeTubes
S-LifeTubes
LifeTips
Lotus Coupling
Earmolds

Click ITEs: Click Sleeves S, M, L

Reducing effort, increasing satisfaction: Support for counseling, fittings and trials.








Signia offers you a broad range of counseling and fitting support - from programming software and tools to mobile fitting units to hearing aids for demonstration and advisory tools - up to comprehensive remote hearing care. This enhances your workflow and makes trials and fittings smoother and more pleasant for your customers.

Tools and support for counseling, fittings and trials





Connexx™ (Update 8.4)
iScan™ II
Unity™ 3
ConnexxAir/ConnexxLink
Noahlink
Noahlink Wireless
HI-PRO 2 USB
TeleCare
Counseling Suite
soundDemo Toolkit

Detailed feature overview RICs.

Type	Pure 312 Nx	Pure 13 Nx	Ace primax	Pure 13 BT primax	Pure primax
Performance levels	7Nx/5Nx/3Nx		7px/5px/3px/2px/1px	7px/5px/3px	7px/5px/3px/2px/1px
Picture	 New!	 New!			
Product details					
Matrix (2 ccm)	S 45/108 dB M 60/119 dB P 70/124 dB HP 75/130 dB	S 45/108 dB M 60/119 dB P 70/124 dB HP 75/130 dB	S 45/108 dB M 55/113 dB P 60/118 dB HP 65/123 dB	S 45/108 dB M 60/119 dB P 70/124 dB HP 75/130 dB	S 45/108 dB M 60/119 dB P 70/124 dB HP 75/130 dB
Battery size	312	13	10	13	312
Power consumption	1.3 - 1.5 mA	1.3 - 1.5 mA	0.9 - 1.0 mA	0.9 - 1.1 mA	0.9 - 1.1 mA
Features					
Frequency channels/ Compression controls	7Nx - 48/20 5Nx - 32/16 3Nx - 24/12 - -	7Nx - 48/20 5Nx - 32/16 3Nx - 24/12 - -	7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 1px - 16/8	7px - 48/20 5px - 32/16 3px - 24/12 - -	7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 1px - 16/8
Hearing programs	6	6	6 ^{10/4 11}	6	6 ^{10/4 11}
e2e wireless	● ¹³	● ¹³	● ¹⁴	● ¹⁴	● ¹⁴
Direct streaming	●	●	-	●	-
TwinPhone	●	●	-	-	● ²
TeleCare	● ¹⁶	● ¹⁶	● ¹⁷	● ¹⁷	● ¹⁷
Tinnitus therapies	●	●	● ¹⁸	●	● ¹⁸
CROS/BiCROS	-	-	-	-	● ^{2, 19}
Push button	●	●	●	●	● ²⁰
Volume control	● ²¹	● ²¹	● ²²	● ²¹	● ²⁰
Rechargeable	-	-	-	-	● ^{2, 23}
T-coil	-	-	-	-	●
Battery door on/off function	●	●	●	●	●
Audio input	● ²⁵	● ²⁵	-	● ²⁵	○ ²⁶
Modifications					
Color conversion kit	○	○	○	○	○
App/Accessory compatibility					
myControl App	●	●	-	●	-
myHearing App	●	●	●	●	●
touchControl App	-	-	●	-	●
easyTek/TV Transmitter/VoiceLink	-	-	-	-	●
StreamLine TV/StreamLine Mic	●	●	-	● ²⁸	-
miniPocket	●	●	●	●	●
easyPocket	-	-	-	-	●
Connexx Air/ConnexxLink	-	-	-	-	●
Noahlink Wireless	●	●	-	●	-
Programming adapter/cable	size 312	size 13	size 10	size 13	size 312
Fitting set	miniReceiver 2.0	miniReceiver 2.0	miniReceiver 2.0	miniReceiver 2.0	miniReceiver 2.0

(2) Not available with 2px/1px
 (3) Not available with 2px
 (10) 6 hearing programs for 7px/5px/3px
 (11) 4 hearing programs for 2px/1px
 (12) 4 hearing programs for 2px
 (13) Ultra HD e2e with binaural audio signal processing
 (14) HD Binaural Hearing with binaural audio signal processing

(15) e2e wireless 3.0 with binaural audio signal processing
 (16) TeleCare 3.0
 (17) TeleCare 2.0
 (18) Not for 1px
 (19) With CROS Pure
 (20) Exchangeable controls - programmable via Connexx

Cellion primax	Carat primax	Orion 2 RIC10	Orion 2 RIC312
7px/5px/3px/2px	7px/5px/3px	Essential	
			
S 45/108 dB M 60/118 dB P 70/124 dB HP 75/130 dB	S 45/108 dB M 60/119 dB P 70/124 dB HP 75/130 dB	S 45/108 dB M 55/113 dB P 60/118 dB HP 65/123 dB	S 45/108 dB M 60/119 dB P 70/124 dB HP 75/130 dB
Li-ion power cell	13	10	312
0.9 - 1.1 mA	0.9 - 1.1 mA	0.9 - 1.0 mA	0.8 - 1.1 mA
7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 -	7px - 48/20 5px - 32/16 3px - 24/12 -	16/8	16/8
6 ^{10/4 12}	6	4	4
● ¹⁴	● ¹⁴	-	● ¹⁵
-	-	-	-
● ³	●	-	-
● ¹⁷	● ¹⁷	● ¹⁷	● ¹⁷
●	●	●	●
● ^{3, 19}	● ¹⁹	-	-
●	● ²¹	●	● ²⁰
● ²²	● ²¹	● ²²	● ²⁰
●	● ²⁴	-	-
●	●	-	●
-	●	●	●
○ ²⁶	○ ²⁷	-	○ ²⁶
○	○	○	○
-	-	-	-
●	●	●	●
●	●	●	●
●	●	-	●
●	●	-	●
●	●	-	●
●	●	-	●
-	-	-	-
CS 44 cable	size 13	size 10	size 312
miniReceiver 2.0	miniReceiver 2.0	miniReceiver 2.0	miniReceiver 2.0

(21) Programmable via Connexx
 (22) With touchControl App/miniPocket
 (23) Only recommended with miniReceiver S
 (24) Reduced battery life
 (25) Via direct streaming
 (26) With easyTek
 (27) With battery compartment modification and easyTek
 (28) Only compatible with StreamLine TV






● Standard
 ○ Optional

Detailed feature overview BTEs.

Type	Motion 13 Nx	Motion SP primax	Motion P primax	Motion SX/SA primax	Motion S primax
Performance levels	7Nx/5Nx/3Nx	7px/5px/3px/2px/1px			3px/2px/1px
Picture	 New!			 SX SA	
Product details					
Matrix (2 ccm)	ThinTube/ LifeTube Earhook				
Battery size	13	675	13	13	312
Power consumption	1.3 - 1.5 mA	2.1 mA	1.1 - 1.3 mA	1.0 mA	0.8 mA
Features					
Frequency channels/ Compression controls	7Nx - 48/20 5Nx - 32/16 3Nx - 24/12 -	7px - 24/16 5px - 24/16 3px - 24/12 2px - 16/8 1px - 16/8	7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 1px - 16/8	7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 ²⁹ 1px - 16/8 ²⁹	- - 3px - 24/12 2px - 16/8 1px - 16/8
Hearing programs	6	6 ^{10/4} ¹¹	6 ^{10/4} ¹¹	6 ^{10/4} ¹¹	6 ^{30/4} ¹¹
e2e wireless	● ¹³	● ¹⁴	● ¹⁴	● ¹⁴	● ¹⁴
Direct streaming	●	-	-	-	-
TwinPhone	●	● ²	● ²	● ²	-
TeleCare	● ¹⁶	● ¹⁷	● ¹⁷	● ¹⁷	● ¹⁷
Tinnitus therapies	●	● ¹⁸	● ¹⁸	● ¹⁸	● ¹⁸
CROS/BiCROS	-	● ^{2, 19}	● ^{2, 19}	● ^{2, 19}	-
Push button	-	●	-	○ ²¹	● ²¹
Volume control	● ²¹	● ²¹	● ²¹	● ²¹	○ ²¹
Rechargeable	-	-	-	● ²	-
T-coil	○	●	●	●	-
Battery door on/off function	●	●	●	●	●
Audio input	● ²⁵	○ ²⁷	○ ²⁷	○ ²⁶ ○ ²⁷	○ ²⁶
Modifications					
Color conversion kit	○	-	○	○	○
Eyeglass adapter	-	-	-	-	-
App/Accessory compatibility					
myControl App	●	-	-	-	-
myHearing App	●	●	●	●	●
touchControl App	-	●	●	●	●
easyTek/TV Transmitter/VoiceLink	-	●	●	●	●
StreamLine TV/StreamLine Mic	●	-	-	-	-
miniPocket	●	●	●	●	●
easyPocket	-	●	●	●	●
Connexx Air/ConnexxLink	-	●	●	●	●
Noahlink Wireless	●	-	-	-	-
Programming adapter/cable	size 13	CS 44 cable	size 13	size 13	size 312
Fitting set	ThinTube	-	ThinTube	ThinTube	LifeTube

(2) Not available with 2px/1px
 (10) 6 hearing programs for 7px/5px/3px
 (11) 4 hearing programs for 2px/1px
 (13) Ultra HD e2e with binaural audio signal processing
 (14) HD Binaural Hearing with binaural audio signal processing
 (15) e2e wireless 3.0 with binaural audio signal processing






(16) TeleCare 3.0
 (17) TeleCare 2.0
 (18) Not for 1px
 (19) With CROS Pure
 (21) Programmable via Connexx
 (25) Via direct streaming

Motion PX binax	Intuis 3 S	Intuis 3 M	Intuis 3 P	Intuis 3 SP
7bx/5bx/3bx	Essential			
				
Product details				
Matrix (2 ccm)	-	-	-	-
Battery size	13	312	13	675
Power consumption	1.1 - 1.3 mA	0.9 mA	1.0 mA	2.4 mA
Features				
Frequency channels/ Compression controls	7bx - 48/20 5bx - 32/16 3bx - 24/12 -	12/6	12/6	12/6
Hearing programs	6	4	4	4
e2e wireless	● ¹⁵	-	-	-
Direct streaming	-	-	-	-
TwinPhone	-	-	-	-
TeleCare	● ¹⁷	● ¹⁷	● ¹⁷	● ¹⁷
Tinnitus therapies	●	-	-	-
CROS/BiCROS	-	-	-	-
Push button	●	● ²¹	○ ²¹	●
Volume control	●	-	● ²¹	● ²¹
Rechargeable	●	-	-	-
T-coil	●	-	●	●
Battery door on/off function	●	●	●	●
Audio input	○ ²⁶	-	○ ³¹	○ ³¹
Modifications				
Color conversion kit	○	○	○	-
Eyeglass adapter	○	-	-	-
App/Accessory compatibility				
myControl App	-	-	-	-
myHearing App	●	●	●	●
touchControl App	●	●	●	●
easyTek/TV Transmitter/VoiceLink	●	-	-	-
StreamLine TV/StreamLine Mic	-	-	-	-
miniPocket	●	●	●	●
easyPocket	●	-	-	-
Connexx Air/ConnexxLink	●	-	-	-
Noahlink Wireless	-	-	-	-
Programming adapter/cable	size 13	size 312	size 13	Programming shoe/ CS 44 cable
Fitting set	S-LifeTube	LifeTube	LifeTube	Programming shoe/ CS 44 cable

(26) With easyTek
 (27) With battery compartment modification and easyTek
 (29) For Motion SA primax only
 (30) 6 hearing programs for 3px
 (31) With battery compartment modification







● Standard
 ○ Optional

Detailed feature overview BTEs.





Type	Orion 2 S	Orion 2 M	Orion 2 P	Sirion 2 S	Sirion 2 M
Performance level	Essential				
Picture					
Product details					
Matrix (2 ccm) LifeTube Earhook	45/124 dB 55/124 dB	53/125 dB 60/130 dB	65/125 dB 75/136 dB	45/124 dB 55/124 dB	53/125 dB 60/130 dB
Battery size	312	13	13	312	13
Power consumption	0.9 mA	1.0 mA	1.0 - 1.3 mA	0.9 mA	1.0 mA
Features					
Frequency channels/ Compression controls	16/8	16/8	16/8	16/8	16/8
Hearing programs	4	4	4	4	4
e2e wireless	● ¹⁵	● ¹⁵	● ¹⁵	-	-
Direct streaming	-	-	-	-	-
TeleCare	●	●	●	●	●
Tinnitus therapies	●	●	●	-	-
Push button	● ²¹	○ ²¹	●	● ²¹	○ ²¹
Volume control	○ ²¹	● ²¹	● ²¹	○ ²¹	● ²¹
T-coil	-	●	●	-	●
Battery door on/off function	●	●	●	●	●
Audio input	○ ²⁶	○ ²⁷	○ ²⁷	-	○ ³¹
Modifications					
Color conversion kit	○	○	○	○	○
App/Accessory compatibility					
myHearing App	●	●	●	●	●
touchControl App	●	●	●	●	●
easyTek/TV Transmitter/VoiceLink	●	●	●	-	-
miniPocket	●	●	●	●	●
easyPocket	●	●	●	-	-
Connexx Air/ConnexxLink	●	●	●	-	-
Noahlink Wireless	-	-	-	-	-
Programming adapter/cable	size 312	size 13	size 13	size 312	size 13
Fitting set	LifeTube	LifeTube	LifeTube	LifeTube	LifeTube

(15) e2e wireless 3.0 with binaural audio signal processing
 (21) Programmable via Connexx
 (26) With easyTek
 (27) With battery compartment modification and easyTek
 (31) With battery compartment modification

● Standard
 ○ Optional





Sirion 2 P	Sirion 2 SP	Intuis 2 S	Intuis 2 M	Intuis 2 P	Intuis 2 SP
Essential					
					
65/125 dB 75/136 dB	- 80/140 dB	45/124 dB 55/124 dB	53/125 dB 60/130 dB	65/125 dB 75/136 dB	- 80/140 dB
13	675	312	13	13	675
1.0 - 1.3 mA	2.4 mA	0.9 mA	1.0 mA	1.0 - 1.4 mA	2.4 mA
16/8	16/8	12/6	12/6	12/6	12/6
4	4	4	4	4	4
-	-	-	-	-	-
-	-	-	-	-	-
●	●	-	-	-	-
-	-	-	-	-	-
●	●	● ²¹	○ ²¹	●	●
● ²¹	● ²¹	-	● ²¹	● ²¹	● ²¹
●	●	-	●	●	●
●	●	●	●	●	●
○ ³¹	○ ³¹	-	○ ³¹	○ ³¹	○ ³¹
○	-	○	○	○	-
●	●	-	-	-	-
●	●	-	-	-	-
-	-	-	-	-	-
●	●	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
size 13	Programming shoe/ CS 44 cable	size 312	size 13	size 13	Programming shoe/ CS 44 cable
LifeTube	-	LifeTube	LifeTube	LifeTube	-

Detailed feature overview BTEs.

Type	Prompt S	Prompt P	Prompt SP	Run P
Performance level	Lotus			
Picture				
Product details				
Matrix (2 ccm) LifeTube Earhook	45/124 dB 55/124 dB	- 70/134 dB	- 80/140 dB	- 70/132 dB
Battery size	312	13	675	13
Power consumption	0.9 mA	1.4 mA	2.4 mA	1.3 mA
Features				
Frequency channels/ Compression controls	8/4	8/4	8/4	8
Hearing programs	4	4	4	6 preconfigured sound profiles
e2e wireless	-	-	-	-
Direct streaming	-	-	-	-
Push button	●	●	●	-
Volume control	-	● ⁽²¹⁾	● ⁽²¹⁾	●
T-coil	-	●	●	-
Battery door on/off function	●	●	●	●
Audio input	-	○ ⁽³¹⁾	○ ⁽³¹⁾	-
App/Accessory compatibility				
touchControl App	●	●	●	●
easyTek/TV Transmitter/VoiceLink	-	-	-	-
miniPocket	●	●	●	●
easyPocket	-	-	-	-
Connexx Air/ConnexxLink	-	-	-	-
Noahlink Wireless	-	-	-	-
Programming adapter/cable	size 312	Programming shoe/ CS 44 cable	Programming shoe/ CS 44 cable	MobileFitting App
Fitting set	LifeTube	Comfort acoustic coupling	Comfort acoustic coupling	Comfort acoustic coupling

(21) Programmable via Connexx
(31) With battery compartment modification

● Standard
○ Optional

Run SP	Fun P	Fun SP	Fast P
Lotus			
			
- 79/140 dB	- 70/132 dB	- 79/140 dB	- 62/130 dB
675	13	675	13
2.2 mA	1.2 mA	2.2 mA	1.1 mA
8	6	6	4
6 preconfigured sound profiles	4 preconfigured sound profiles	4 preconfigured sound profiles	3 preconfigured sound profiles
-	-	-	-
-	-	-	-
-	-	-	-
●	●	●	●
-	-	-	-
●	●	●	●
-	-	-	-
●	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
MobileFitting App	Fitting via rocker switch	Fitting via rocker switch	Fitting via rocker switch
Comfort acoustic coupling	Comfort acoustic coupling	Comfort acoustic coupling	Simple acoustic coupling

Detailed feature overview Click ITEs and ITEs.






Type	Silk primax Click CIC	Insio primax IIC/CIC	Insio primax ITC	Insio primax ITE	Insio binax IIC/CIC	Insio binax ITC
Performance levels	7px/5px/3px/2px/1px				7bx/5bx/3bx	
Picture						
Product details						
Matrix (2 ccm)	50/113 dB	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹
Battery size	10	10	312/10	13/312	10	312/10
Power consumption	1.1 mA	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹
Features						
Frequency channels/ Compression controls	7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 1px - 16/8	7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 1px - 16/8	7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 1px - 16/8	7px - 48/20 5px - 32/16 3px - 24/12 2px - 16/8 1px - 16/8	7bx - 48/20 5bx - 32/16 3bx - 24/12 -	7bx - 48/20 5bx - 32/16 3bx - 24/12 -
Hearing programs	6 ^{10/4} 11	6 ^{10/4} 11	6 ^{10/4} 11	6 ^{10/4} 11	6	6
e2e wireless	● ¹⁴	○ ¹⁴	○ ¹⁴	○ ¹⁴	○ ¹⁵	○ ¹⁵
Direct streaming	-	-	-	-	-	-
TwinPhone	-	-	○ ²	○ ²	-	-
TeleCare	● ¹⁷	● ¹⁷	● ¹⁷	● ¹⁷	-	-
Tinnitus therapies	● ¹⁸	● ¹⁸	● ¹⁸	● ¹⁸	●	●
CROS/BiCROS	● ^{2,19}	● ^{2,19}	● ^{2,19}	● ^{2,19}	-	-
Push button	-	○ ³²	○	○	○ ³²	○
Volume control	○ ^{22,26}	○ ^{22,26}	○	○	○ ^{22,26}	○
T-coil	-	-	○	○	-	○
Battery door on/off function	●	●	●	●	●	●
Audio input	○ ²⁶	○ ²⁶	○ ²⁶	○ ²⁶	○ ²⁶	○ ²⁶
Optivent	-	○	○	○	○	○
App/Accessory compatibility						
myHearing App	●	●	●	●	-	-
touchControl App	●	●	●	●	●	●
easyTek/TV Transmitter/VoiceLink	●	●	●	●	●	●
miniPocket	●	●	●	●	●	●
easyPocket	●	●	●	●	●	●
Connexx Air/ConnexxLink	●	● ³³	● ³³	● ³³	● ³³	● ³³
Noahlink Wireless	-	-	-	-	-	-
Programming adapter/cable	Flex connector	Flex connector	Flex connector	Flex connector	Flex connector	Flex connector

(1) Max. values
 (2) Not available with 2px/1px
 (10) 6 hearing programs for 7px/5px/3px
 (11) 4 hearing programs for 2px/1px
 (14) HD Binaural Hearing with binaural audio signal processing
 (15) e2e wireless 3.0 with binaural audio signal processing
 (17) TeleCare 2.0
 (18) Not for 1px
 (19) With CROS Pure
 (22) With touchControl App/miniPocket
 (26) With easyTek
 (32) Not available for IIC
 (33) Only if e2e wireless is available

Insio binax ITE	Intuis 3 Click CIC	Intuis 3 Click ITC	Intuis 3 CIC	Intuis 3 ITC	Intuis 3 ITE
7bx/5bx/3bx	Essential				
65/124 dB ¹	50/113 dB	55/116 dB	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹
13/312	10	312	10	312	13
1.1 mA ¹	1.1 mA	1.1 mA	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹
7bx - 48/20 5bx - 32/16 3bx - 24/12 -	12/6	12/6	12/6	12/6	12/6
6	4	4	4	4	4
○ ¹⁵	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	● ¹⁷	● ¹⁷	● ¹⁷	● ¹⁷	● ¹⁷
●	-	-	-	-	-
-	-	-	-	-	-
○	-	●	○	○	○
○	○ ²²	○ ²²	○ ²²	○	○
○	-	-	-	○	○
○	●	●	●	●	●
○ ²⁶	-	-	-	-	-
○	-	-	○	○	○
-	●	●	●	●	●
●	●	●	●	●	●
●	-	-	-	-	-
●	●	●	●	●	●
● ³³	-	-	-	-	-
-	-	-	-	-	-
Flex connector	Flex connector	Flex connector	Flex connector	Flex connector	Flex connector







● Standard
 ○ Optional

Detailed feature overview **Click ITEs** and **ITEs**.






Type	Orion2 CIC	Orion2 ITC	Orion2 ITE	Sirion 2 CIC	Sirion 2 ITC
Performance levels	Essential				
Picture					
Product details					
Matrix (2 ccm)	50/113 dB ¹	55/118 dB ¹	60/123 dB ¹	50/113 dB ¹	55/118 dB ¹
Battery size	10	312/10	13/312	10	312/10
Power consumption	0.9 mA ¹	1.0 mA ¹	1.0 mA ¹	0.9 mA ¹	1.0 mA ¹
Features					
Frequency channels/ Compression controls	16/8	16/8	16/8	16/8	16/8
Hearing programs	4	4	4	4	4
e2e wireless	○ ¹⁵	○ ¹⁵	○ ¹⁵	-	-
Direct streaming	-	-	-	-	-
TeleCare	● ¹⁷	● ¹⁷	● ¹⁷	● ¹⁷	● ¹⁷
Tinnitus therapies	●	●	●	-	-
Push button	○	○	○	○	○
Volume control	○ ^{22, 26}	○	○	○	○
T-coil	-	○	○	-	○
Battery door on/off function	●	●	●	●	●
Audio input	○ ²⁶	○ ²⁶	○ ²⁶	-	-
Optivent	○	○	○	○	○
App/Accessory compatibility					
myHearing App	●	●	●	●	●
touchControl App	●	●	●	●	●
easyTek/TV Transmitter/VoiceLink	●	●	●	-	-
miniPocket	●	●	●	●	●
easyPocket	●	●	●	-	-
Connexx Air/ConnexxLink	● ³³	● ³³	● ³³	-	-
Noahlink Wireless	-	-	-	-	-
Programming adapter/cable	Flex connector	Flex connector	Flex connector	Flex connector	Flex connector

(1) Max. values
 (15) e2e wireless 3.0
 (17) TeleCare 2.0
 (22) With touchControl App/miniPocket
 (26) With easyTek
 (33) Only if e2e wireless is available



● Standard
 ○ Optional

Sirion 2 ITE	Intuis 2 Click CIC	Intuis 2 Click ITC	Intuis 2 CIC	Intuis 2 ITC	Intuis 2 ITE
Essential					
					
60/123 dB ¹	50/113 dB	55/116 dB	50/113 dB ¹	55/118 dB ¹	60/123 dB ¹
13/312	10	312	10	312	13
1.0 mA ¹	1.1 mA	1.1 mA	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹
16/8	12/6	12/6	12/6	12/6	12/6
4	1	4	4	4	4
-	-	-	-	○ ¹⁵	○ ¹⁵
-	-	-	-	-	-
● ¹⁷	-	-	-	-	-
-	-	-	-	-	-
○	-	●	○	○	○
○	-	-	-	○	○
○	-	-	-	○	○
●	●	●	●	●	●
-	-	-	-	-	-
○	-	-	○	○	○
●	-	-	-	-	-
●	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
Flex connector	Flex connector	Flex connector	Flex connector	Flex connector	Flex connector

Detailed feature overview **Click ITEs** and **ITEs**.

Type	Prompt Click CIC	Prompt Click ITC	Prompt CIC	Prompt ITC	Prompt ITE
Performance levels	Lotus				
Picture					
Product details					
Matrix (2 ccm)	50/113 dB	55/116 dB	65/124 dB ¹	65/124 dB ¹	65/124 dB ¹
Battery size	10	312	10	312/10	13/312
Power consumption	1.1 mA	1.1 mA	1.1 mA ¹	1.1 mA ¹	1.1 mA ¹
Features					
Frequency channels/ Compression controls	8/4	8/4	8/4	8/4	8/4
Hearing programs	1	4	4	4	4
e2e wireless	-	-	-	-	-
Direct streaming	-	-	-	-	-
TwinPhone	-	-	-	-	-
TeleCare	-	-	-	-	-
Tinnitus therapies	-	-	-	-	-
CROS/BiCROS	-	-	-	-	-
Push button	-	●	○	○	○
Volume control	-	-	○ ²²	○	○
Rechargeable	-	-	-	-	-
T-coil	-	-	-	○	○
Battery door on/off function	●	●	●	●	●
Audio input	-	-	-	-	-
Optivent	-	-	○	○	○
App/Accessory compatibility					
myHearing App	-	-	-	-	-
touchControl App	●	●	●	●	●
miniPocket	●	●	●	●	●
Connexx Air/ConnexxLink	-	-	-	-	-
Noahlink Wireless	-	-	-	-	-
Programming adapter/cable	Flex connector	Flex connector	Flex connector	Flex connector	Flex connector

(1) Max. values
 (22) With touchControl App/miniPocket
 ● Standard
 ○ Optional

Run Click CIC	Run Click ITC
Lotus	
	
50/113 dB	55/116 dB
10	312
1.1 mA	1.1 mA
8	8
6 preconfigured sound profiles	6 preconfigured sound profiles
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
●	●
-	-
-	-
-	-
MobileFitting App	MobileFitting App

The information in this document contains general descriptions of the technical options available, which do not always have to be present in individual cases and are subject to change without prior notice.

The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Sivantos is under license. Other trademarks and trade names are those of their respective owners.

Android and Google Play are trademarks of Google Inc.
Apple App Store is a trademark of Apple Inc.

iPhone is a trademark of Apple Inc., registered in the U.S. and other countries.

* Study conducted at the University of Northern Colorado, 2015, examined the effectiveness of the new features of primax by collecting and analyzing ongoing EEG data while subjects performed speech testing. For both primax features SpeechMaster and EchoShield, the objective brain behavior measures revealed a significant reduction in listening effort when the feature was activated.

** Two clinical studies have shown that binax provides better than normal hearing in certain demanding environments (University of Northern Colorado, 2014; Oldenburg Hörzentrum, 2013): Speech Reception Thresholds (SRT) in cocktail-party situations improved up to 2.9 dB for wearers with mild to moderate hearing loss using Carat binax or Pure binax hearing aids with narrow directionality, compared to people with normal hearing.

Legal Manufacturer

For Siemens products:
Sivantos GmbH
Henri-Dunant-Strasse 100
91058 Erlangen
Germany

For Signia products:
Signia GmbH
Henri-Dunant-Strasse 100
91058 Erlangen
Germany

Sivantos GmbH is a Trademark
Licensee of Siemens AG.

Signia GmbH is a Trademark
Licensee of Siemens AG.

Order No. 03277-99C1-7600 | Printed in Germany
©09.2017 Signia GmbH

