Brio 4 B

Product information




Product description



Brio 4 B-312

Battery Multi-function button Telecoil Bluetooth® Nano coating		312 • • • •					
				IP rating		IP681	
				Dimensions	LxWxD	31.3 x 14.1 x 7.3 (1.23 x 0.56 x 0.29")	
					Weight	2.18 g / 0.077 oz	
						SlimTube 4.0	HE11 680
Max. Power Output (dB SPL)	2 cc coupler	122	128				
Max. gain (dB)	2 cc coupler	58	63				
Frequency range (Hz)		<100 - >6500	<100 - >8000				
Working current (mA)		1.5	1.6				
Fitting range							



■ SlimTube 4.0 HE11 680

Housing colors







Champagne



Silver Gray

Velvet Black

Premium performance

Automatic	Premium
Quiet	•
Noise	•
Comfort	•
Music	•
Loud Noise	•
Car	•
Echo	•
Streamed speech	•
Streamed music	•
Additional programs	
Max. additional programs	3
Echo	•
Loud Noise	•
Speech Direct	•
Noise	•
Quiet	•
Comfort	•
Music	•
Acoustic phone	•
Custom program	•
Streaming programs	
PartnerMic + mic	•
Phone call + mic	•

Features	Premium
Directional Microphone	•
SNR-Boost	•
DuoTel	•
HiFrequency Protect+	•
User Preference Tuning	•
Real Ear Effect	•
Fine tuning channels	20
Feedback Manager	•
Noise Manager	•
Wind Manager	•
Echo Manager	•
Impulse Manager	•
Binaural Sync	•
AOV	•
Adaptation Control	•
Balance	•

Fitting

Phonak Target 6.2 or higher Noahlink Wireless

Brio 4 B Bluetooth® versions

Direct calls/audio streaming

Bluetooth® 4.2 wireless technology and most older Bluetooth phones

Acoustic coupling

	Hook	Damped (HE11 680) transparent		
	SlimTube 4.0	Available in left and right and five different lengths (00,0,1,2,3)		
Ear piece for SlimTube				
	Dome	Cap dome		
		Open dome	available in three sizes (S, M, L)	
		Vented dome	available in three sizes (S, M, L)	
		Power dome	available in three sizes (S, M, L)	
	SlimTip	Acrylic		
		Silicone		
Ear piece for hook				
	Earmold			
	Universal eartip			

Wireless communication portfolio

у	Brio 4 B-312	
TV Connector	•	
PartnerMic	•	
RemoteControl	•	
myPhonak	•	
	TV Connector PartnerMic RemoteControl	



